

**TABLE 35**  
**Trends in 30-Day Prevalence of Use of **Other Tobacco Products****  
**for Grades 8, 10, and 12**

(Entries are percentages.)

	<u>2013</u>	<u>2014</u>	<u>2013– 2014 change</u>
<b>Electronic Cigarettes (e-cigarettes) <sup>a</sup></b>			
8th Grade	—	8.7	—
10th Grade	—	16.2	—
12th Grade	—	17.1	—
<b>Large Cigars <sup>b</sup></b>			
8th Grade	—	1.9	—
10th Grade	—	3.9	—
12th Grade	—	6.4	—
<b>Flavored Little Cigars or Cigarillos <sup>b</sup></b>			
8th Grade	—	4.1	—
10th Grade	—	6.9	—
12th Grade	—	11.9	—
<b>Regular Little Cigars or Cigarillos <sup>b</sup></b>			
8th Grade	—	2.5	—
10th Grade	—	4.4	—
12th Grade	—	7.0	—
<b>Approximate Ns</b>			
8th Grade	14,600	14,600	
10th Grade	12,900	13,000	
12th Grade	12,600	12,400	

*Source.* The Monitoring the Future study, the University of Michigan.

*Notes.* Level of significance of difference between the two most recent classes:  $s = .05$ ,  $ss = .01$ ,  $sss = .001$ . '—' indicates data not available.

Any apparent inconsistency between the change estimate and the prevalence estimates for the two most recent years is due to rounding.

<sup>a</sup>For 8th and 10th graders only: Data based on two forms;  $N$  is one third of  $N$  indicated. For 12th graders only: Data based on three of six forms;  $N$  is one half of  $N$  indicated.

<sup>b</sup>For 8th and 10th graders only: Data based on two forms;  $N$  is one third of  $N$  indicated. For 12th graders only: Data based on two of six forms;  $N$  is one third of  $N$  indicated.