

TABLE 1b
**Trends in Annual and 30-Day Prevalence of Use of Various Drugs
for Eighth, Tenth, and Twelfth Graders**

| | Annual | | | | | | | | | | '98-'99 change | 30-Day | | | | | | | | | | '98-'99 change |
|--|--------|------|------|------|------|------|------|------|------|------|-------------------|--------|------|------|------|------|------|------|------|-------|------|-------------------|
| | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 1991 | | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 1991 | 1992 | |
| Any Illicit Drug ^a | | | | | | | | | | | | | | | | | | | | | | |
| 8th Grade | 11.3 | 12.9 | 15.1 | 18.5 | 21.4 | 23.6 | 22.1 | 21.0 | 20.5 | -0.5 | 5.7 | 6.8 | 8.4 | 10.9 | 12.4 | 14.6 | 12.9 | 12.1 | 12.2 | +0.1 | | |
| 10th Grade | 21.4 | 20.4 | 24.7 | 30.0 | 33.3 | 37.5 | 38.5 | 35.0 | 35.9 | +0.9 | 11.6 | 11.0 | 14.0 | 18.5 | 20.2 | 23.2 | 23.0 | 21.5 | 22.1 | +0.6 | | |
| 12th Grade | 29.4 | 27.1 | 31.0 | 35.8 | 39.0 | 40.2 | 42.4 | 41.4 | 42.1 | +0.7 | 16.4 | 14.4 | 18.3 | 21.9 | 23.8 | 24.6 | 26.2 | 25.6 | 25.9 | +0.3 | | |
| Any Illicit Drug Other Than Marijuana ^a | | | | | | | | | | | | | | | | | | | | | | |
| 8th Grade | 8.4 | 9.3 | 10.4 | 11.3 | 12.6 | 13.1 | 11.8 | 11.0 | 10.5 | -0.5 | 3.8 | 4.7 | 5.3 | 5.6 | 6.5 | 6.9 | 6.0 | 5.5 | 5.5 | 0.0 | | |
| 10th Grade | 12.2 | 12.3 | 13.9 | 15.2 | 17.5 | 18.4 | 18.2 | 16.6 | 16.7 | +0.1 | 5.5 | 5.7 | 6.5 | 7.1 | 8.9 | 8.9 | 8.8 | 8.6 | 8.6 | 0.0 | | |
| 12th Grade | 16.2 | 14.9 | 17.1 | 18.0 | 19.4 | 19.8 | 20.7 | 20.2 | 20.7 | +0.5 | 7.1 | 6.3 | 7.9 | 8.8 | 10.0 | 9.5 | 10.7 | 10.7 | 10.4 | -0.3 | | |
| Any Illicit Drug Including Inhalants ^{a,b} | | | | | | | | | | | | | | | | | | | | | | |
| 8th Grade | 16.7 | 18.2 | 21.1 | 24.2 | 27.1 | 28.7 | 27.2 | 26.2 | 25.3 | -0.9 | 8.8 | 10.0 | 12.0 | 14.3 | 16.1 | 17.5 | 16.0 | 14.9 | 15.1 | +0.2 | | |
| 10th Grade | 23.9 | 23.5 | 27.4 | 32.5 | 35.6 | 39.6 | 40.3 | 37.1 | 37.7 | +0.6 | 13.1 | 12.6 | 15.5 | 20.0 | 21.6 | 24.5 | 24.1 | 22.5 | 23.1 | +0.6 | | |
| 12th Grade | 31.2 | 28.8 | 32.5 | 37.6 | 40.2 | 41.9 | 43.3 | 42.4 | 42.8 | +0.4 | 17.8 | 15.5 | 19.3 | 23.0 | 24.8 | 25.5 | 26.9 | 26.6 | 26.4 | -0.2 | | |
| Marijuana/Hashish | | | | | | | | | | | | | | | | | | | | | | |
| 8th Grade | 6.2 | 7.2 | 9.2 | 13.0 | 15.8 | 18.3 | 17.7 | 16.9 | 16.5 | -0.4 | 3.2 | 3.7 | 5.1 | 7.8 | 9.1 | 11.3 | 10.2 | 9.7 | 9.7 | 0.0 | | |
| 10th Grade | 16.5 | 15.2 | 19.2 | 25.2 | 28.7 | 33.6 | 34.8 | 31.1 | 32.1 | +1.0 | 8.7 | 8.1 | 10.9 | 15.8 | 17.2 | 20.4 | 20.5 | 18.7 | 19.4 | +0.7 | | |
| 12th Grade | 23.9 | 21.9 | 26.0 | 30.7 | 34.7 | 35.8 | 38.5 | 37.5 | 37.8 | +0.3 | 13.8 | 11.9 | 15.5 | 19.0 | 21.2 | 21.9 | 23.7 | 22.8 | 23.1 | +0.3 | | |
| Inhalants ^{b,c} | | | | | | | | | | | | | | | | | | | | | | |
| 8th Grade | 9.0 | 9.5 | 11.0 | 11.7 | 12.8 | 12.2 | 11.8 | 11.1 | 10.3 | -0.8 | 4.4 | 4.7 | 5.4 | 5.6 | 6.1 | 5.8 | 5.6 | 4.8 | 5.0 | +0.2 | | |
| 10th Grade | 7.1 | 7.5 | 8.4 | 9.1 | 9.6 | 9.5 | 8.7 | 8.0 | 7.2 | -0.8 | 2.7 | 2.7 | 3.3 | 3.6 | 3.5 | 3.3 | 3.0 | 2.9 | 2.6 | -0.3 | | |
| 12th Grade | 6.6 | 6.2 | 7.0 | 7.7 | 8.0 | 7.6 | 6.7 | 6.2 | 5.6 | -0.6 | 2.4 | 2.3 | 2.5 | 2.7 | 3.2 | 2.5 | 2.5 | 2.3 | 2.0 | -0.3 | | |
| Nitrites ^d | | | | | | | | | | | | | | | | | | | | | | |
| 8th Grade | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| 10th Grade | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| 12th Grade | 0.9 | 0.5 | 0.9 | 1.1 | 1.1 | 1.6 | 1.2 | 1.4 | 0.9 | -0.5 | 0.4 | 0.3 | 0.6 | 0.4 | 0.4 | 0.7 | 0.7 | 1.0 | 0.4 | -0.6s | | |
| Hallucinogens ^c | | | | | | | | | | | | | | | | | | | | | | |
| 8th Grade | 1.9 | 2.5 | 2.6 | 2.7 | 3.6 | 4.1 | 3.7 | 3.4 | 2.9 | -0.5 | 0.8 | 1.1 | 1.2 | 1.3 | 1.7 | 1.9 | 1.8 | 1.4 | 1.3 | -0.1 | | |
| 10th Grade | 4.0 | 4.3 | 4.7 | 5.8 | 7.2 | 7.8 | 7.6 | 6.9 | 6.9 | 0.0 | 1.6 | 1.8 | 1.9 | 2.4 | 3.3 | 2.8 | 3.3 | 3.2 | 2.9 | -0.3 | | |
| 12th Grade | 5.8 | 5.9 | 7.4 | 7.6 | 9.3 | 10.1 | 9.8 | 9.0 | 9.4 | +0.4 | 2.2 | 2.1 | 2.7 | 3.1 | 4.4 | 3.5 | 3.9 | 3.8 | 3.5 | -0.3 | | |
| LSD | | | | | | | | | | | | | | | | | | | | | | |
| 8th Grade | 1.7 | 2.1 | 2.3 | 2.4 | 3.2 | 3.5 | 3.2 | 2.8 | 2.4 | -0.4 | 0.6 | 0.9 | 1.0 | 1.1 | 1.4 | 1.5 | 1.5 | 1.1 | 1.1 | 0.0 | | |
| 10th Grade | 3.7 | 4.0 | 4.2 | 5.2 | 6.5 | 6.9 | 6.7 | 5.9 | 6.0 | +0.1 | 1.5 | 1.6 | 1.6 | 2.0 | 3.0 | 2.4 | 2.8 | 2.7 | 2.3 | -0.4 | | |
| 12th Grade | 5.2 | 5.6 | 6.8 | 6.9 | 8.4 | 8.8 | 8.4 | 7.6 | 8.1 | +0.5 | 1.9 | 2.0 | 2.4 | 2.6 | 4.0 | 2.5 | 3.1 | 3.2 | 2.7 | -0.5 | | |
| Hallucinogens Other Than LSD | | | | | | | | | | | | | | | | | | | | | | |
| 8th Grade | 0.7 | 1.1 | 1.0 | 1.3 | 1.7 | 2.0 | 1.8 | 1.6 | 1.5 | -0.1 | 0.3 | 0.4 | 0.5 | 0.7 | 0.8 | 0.9 | 0.7 | 0.7 | 0.6 | -0.1 | | |
| 10th Grade | 1.3 | 1.4 | 1.9 | 2.4 | 2.8 | 3.3 | 3.3 | 3.4 | 3.2 | -0.2 | 0.4 | 0.5 | 0.7 | 1.0 | 1.0 | 1.0 | 1.2 | 1.4 | 1.2 | -0.2 | | |
| 12th Grade | 2.0 | 1.7 | 2.2 | 3.1 | 3.8 | 4.4 | 4.6 | 4.6 | 4.3 | -0.3 | 0.7 | 0.5 | 0.8 | 1.2 | 1.3 | 1.6 | 1.7 | 1.6 | 1.6 | 0.0 | | |

(Table continued on next page)

TABLE 1b (cont.)
Trends in Annual and 30-Day Prevalence of Use of Various Drugs
for Eighth, Tenth, and Twelfth Graders

| PCP ^d | Annual | | | | | | | | | | '98-'99 change | 30-Day | | | | | | | | | | '98-'99 change |
|------------------------------|--------|------|------|------|------|------|------|------|------|--------|-------------------|--------|------|------|------|------|------|------|------|------|-------|-------------------|
| | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 1991 | | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 1991 | 1992 | |
| PCP ^d | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 8th Grade | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10th Grade | — | 1.4 | 1.4 | 1.4 | 1.6 | 1.8 | 2.6 | 2.3 | 2.1 | 1.8 | -0.3 | — | 0.5 | 0.6 | 1.0 | 0.7 | 0.6 | 1.3 | 0.7 | 1.0 | 0.8 | -0.2 |
| 12th Grade | 1.4 | 1.4 | 1.4 | 1.6 | 1.8 | 2.6 | 2.3 | 2.1 | 1.8 | -0.3 | — | 0.5 | 0.6 | 1.0 | 0.7 | 0.6 | 1.3 | 0.7 | 1.0 | 0.8 | -0.2 | |
| MDMA (Ecstasy) ^d | — | — | — | — | — | 2.3 | 2.3 | 1.8 | 1.7 | -0.1 | — | — | — | — | — | — | 1.0 | 1.0 | 0.9 | 0.8 | 0.8 | -0.1 |
| 8th Grade | — | — | — | — | — | 4.6 | 3.9 | 3.3 | 4.4 | +1.1s | — | — | — | — | — | — | 1.8 | 1.3 | 1.3 | 1.8 | +0.5 | |
| 10th Grade | — | — | — | — | — | 4.6 | 4.0 | 3.6 | 5.6 | +2.0ss | — | — | — | — | — | — | 2.0 | 1.6 | 1.5 | 2.5 | +1.0s | |
| 12th Grade | — | — | — | — | — | 4.6 | 4.0 | 3.6 | 5.6 | +2.0ss | — | — | — | — | — | — | 2.0 | 1.6 | 1.5 | 2.5 | +1.0s | |
| Cocaine | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 8th Grade | 1.1 | 1.5 | 1.7 | 2.1 | 2.6 | 3.0 | 2.8 | 3.1 | 2.7 | -0.4 | 0.5 | 0.7 | 0.7 | 1.0 | 1.2 | 1.3 | 1.1 | 1.4 | 1.3 | 1.3 | -0.1 | |
| 10th Grade | 2.2 | 1.9 | 2.1 | 2.8 | 3.5 | 4.2 | 4.7 | 4.7 | 4.9 | +0.2 | 0.7 | 0.7 | 0.9 | 1.2 | 1.7 | 1.7 | 2.0 | 2.1 | 1.8 | 1.8 | -0.3 | |
| 12th Grade | 3.5 | 3.1 | 3.3 | 3.6 | 4.0 | 4.9 | 5.5 | 5.7 | 6.2 | +0.5 | 1.4 | 1.3 | 1.3 | 1.5 | 1.8 | 2.0 | 2.3 | 2.4 | 2.6 | 2.6 | +0.2 | |
| Crack | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 8th Grade | 0.7 | 0.9 | 1.0 | 1.3 | 1.6 | 1.8 | 1.7 | 2.1 | 1.8 | -0.4s | 0.3 | 0.5 | 0.4 | 0.7 | 0.7 | 0.8 | 0.7 | 0.9 | 0.8 | 0.8 | -0.1 | |
| 10th Grade | 0.9 | 0.9 | 1.1 | 1.4 | 1.8 | 2.1 | 2.2 | 2.5 | 2.4 | -0.1 | 0.3 | 0.4 | 0.5 | 0.6 | 0.9 | 0.8 | 0.9 | 1.1 | 0.8 | 0.8 | -0.3s | |
| 12th Grade | 1.5 | 1.5 | 1.5 | 1.9 | 2.1 | 2.1 | 2.4 | 2.5 | 2.7 | +0.2 | 0.7 | 0.6 | 0.7 | 0.8 | 1.0 | 1.0 | 0.9 | 1.0 | 1.1 | 1.1 | +0.1 | |
| Other Cocaine ^e | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 8th Grade | 1.0 | 1.2 | 1.3 | 1.7 | 2.1 | 2.5 | 2.2 | 2.4 | 2.3 | -0.1 | 0.5 | 0.5 | 0.6 | 0.9 | 1.0 | 1.0 | 0.8 | 1.0 | 1.1 | 1.1 | +0.1 | |
| 10th Grade | 2.1 | 1.7 | 1.8 | 2.4 | 3.0 | 3.5 | 4.1 | 4.0 | 4.4 | +0.4 | 0.6 | 0.6 | 0.7 | 1.0 | 1.4 | 1.3 | 1.6 | 1.8 | 1.6 | 1.6 | -0.2 | |
| 12th Grade | 3.2 | 2.6 | 2.9 | 3.0 | 3.4 | 4.2 | 5.0 | 4.9 | 5.8 | +0.9 | 1.2 | 1.0 | 1.2 | 1.3 | 1.3 | 1.6 | 2.0 | 2.0 | 2.5 | 2.5 | +0.5 | |
| Heroin ^f | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 8th Grade | 0.7 | 0.7 | 0.7 | 1.2 | 1.4 | 1.6 | 1.3 | 1.3 | 1.4 | +0.1 | 0.3 | 0.4 | 0.4 | 0.6 | 0.6 | 0.7 | 0.6 | 0.6 | 0.6 | 0.6 | 0.0 | |
| 10th Grade | 0.5 | 0.6 | 0.7 | 0.9 | 1.1 | 1.2 | 1.4 | 1.4 | 1.4 | 0.0 | 0.2 | 0.2 | 0.3 | 0.4 | 0.6 | 0.5 | 0.6 | 0.7 | 0.7 | 0.0 | | |
| 12th Grade | 0.4 | 0.6 | 0.5 | 0.6 | 1.1 | 1.0 | 1.2 | 1.0 | 1.1 | +0.1 | 0.2 | 0.3 | 0.2 | 0.3 | 0.6 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.0 | |
| Other Narcotics ^g | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 8th Grade | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10th Grade | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 12th Grade | 3.5 | 3.3 | 3.6 | 3.8 | 4.7 | 5.4 | 6.2 | 6.3 | 6.7 | +0.4 | 1.1 | 1.2 | 1.3 | 1.5 | 1.8 | 2.0 | 2.3 | 2.4 | 2.6 | +0.2 | | |
| Amphetamines ^g | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 8th Grade | 6.2 | 6.5 | 7.2 | 7.9 | 8.7 | 9.1 | 8.1 | 7.2 | 6.9 | -0.3 | 2.6 | 3.3 | 3.6 | 3.6 | 4.2 | 4.6 | 3.8 | 3.3 | 3.4 | 3.4 | +0.1 | |
| 10th Grade | 8.2 | 8.2 | 9.6 | 10.2 | 11.9 | 12.4 | 12.1 | 10.7 | 10.4 | -0.3 | 3.3 | 3.6 | 4.3 | 4.5 | 5.3 | 5.5 | 5.1 | 5.1 | 5.0 | 5.0 | -0.1 | |
| 12th Grade | 8.2 | 7.1 | 8.4 | 9.4 | 9.3 | 9.5 | 10.2 | 10.1 | 10.2 | +0.1 | 3.2 | 2.8 | 3.7 | 4.0 | 4.0 | 4.1 | 4.8 | 4.6 | 4.5 | 4.5 | -0.1 | |
| Ice ^h | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 8th Grade | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10th Grade | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 12th Grade | 1.4 | 1.3 | 1.7 | 1.8 | 2.4 | 2.8 | 2.3 | 3.0 | 1.9 | -1.1ss | 0.6 | 0.5 | 0.6 | 0.7 | 1.1 | 1.1 | 0.8 | 1.2 | 0.8 | 0.8 | -0.4 | |

(Table continued on next page)

TABLE 1b (cont.)
Trends in Annual and 30-Day Prevalence of Use of Various Drugs
for Eighth, Tenth, and Twelfth Graders

| | Annual | | | | | | | | | | 30-Day | | | | | | | | | | |
|--------------------------------|--------|------|------|------|------|------|------|------|------|-------------------|--------|------|------|------|------|------|------|------|------|-------------------|------|
| | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | '98-'99 change | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | '98-'99 change | |
| Barbiturates ^g | | | | | | | | | | | | | | | | | | | | | |
| 8th Grade | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 10th Grade | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 12th Grade | 3.4 | 2.8 | 3.4 | 4.1 | 4.7 | 4.9 | 5.1 | 5.5 | 5.8 | +0.3 | 1.4 | 1.1 | 1.3 | 1.7 | 2.2 | 2.1 | 2.1 | 2.6 | 2.6 | 0.0 | |
| Tranquilizers ^g | | | | | | | | | | | | | | | | | | | | | |
| 8th Grade | 1.8 | 2.0 | 2.1 | 2.4 | 2.7 | 3.3 | 2.9 | 2.6 | 2.5 | -0.1 | 0.8 | 0.8 | 0.9 | 1.1 | 1.2 | 1.5 | 1.2 | 1.2 | 1.1 | -0.1 | |
| 10th Grade | 3.2 | 3.5 | 3.3 | 3.3 | 4.0 | 4.6 | 4.9 | 5.1 | 5.4 | +0.3 | 1.2 | 1.5 | 1.1 | 1.5 | 1.7 | 1.7 | 2.2 | 2.2 | 2.2 | 0.0 | |
| 12th Grade | 3.6 | 2.8 | 3.5 | 3.7 | 4.4 | 4.6 | 4.7 | 5.5 | 5.8 | +0.3 | 1.4 | 1.0 | 1.2 | 1.4 | 1.8 | 2.0 | 1.8 | 2.4 | 2.5 | +0.1 | |
| Alcohol ⁱ | | | | | | | | | | | | | | | | | | | | | |
| Any use | | | | | | | | | | | | | | | | | | | | | |
| 8th Grade | 54.0 | 53.7 | 51.6 | — | 45.4 | 46.8 | 45.3 | 46.5 | 45.5 | 43.7 | 43.5 | — | 25.1 | 26.1 | 26.2 | — | 24.3 | 25.5 | 24.6 | — | |
| 10th Grade | 72.3 | 70.2 | 69.3 | — | 63.4 | 63.9 | 63.5 | 65.0 | 65.2 | 62.7 | 63.7 | +1.0 | 42.8 | 39.9 | 41.5 | — | 38.2 | 39.2 | 38.8 | 40.4 | 40.1 |
| 12th Grade | 77.7 | 76.8 | 76.0 | — | 72.7 | 73.0 | 73.7 | 72.5 | 74.8 | 74.3 | 73.8 | -0.5 | 54.0 | 51.3 | 51.0 | — | 48.6 | 50.1 | 51.3 | 50.8 | 52.7 |
| Been Drunk ^h | | | | | | | | | | | | | | | | | 23.0 | 24.5 | 23.0 | 24.0 | +1.0 |
| 8th Grade | 17.5 | 18.3 | 18.2 | 18.2 | 18.4 | 19.8 | 18.4 | 17.9 | 18.5 | +0.6 | 7.6 | 7.5 | 7.8 | 8.7 | 8.3 | 9.6 | 8.2 | 8.4 | 9.4 | +1.0 | |
| 10th Grade | 40.1 | 37.0 | 37.8 | 38.0 | 38.5 | 40.1 | 40.7 | 38.3 | 40.9 | +2.6s | 20.5 | 18.1 | 19.8 | 20.3 | 20.8 | 21.3 | 22.4 | 21.1 | 22.5 | +1.4 | |
| 12th Grade | 52.7 | 50.3 | 49.6 | 51.7 | 52.5 | 51.9 | 53.2 | 52.0 | 53.2 | +1.2 | 31.6 | 29.9 | 28.9 | 30.8 | 33.2 | 31.3 | 34.2 | 32.9 | 32.9 | 0.0 | |
| Cigarettes | | | | | | | | | | | | | | | | | | | | | |
| Any use | | | | | | | | | | | | | | | | | | | | | |
| 8th Grade | — | — | — | — | — | — | — | — | — | — | 14.3 | 15.5 | 16.7 | 18.6 | 19.1 | 21.0 | 19.4 | 19.1 | 17.5 | -1.6s | |
| 10th Grade | — | — | — | — | — | — | — | — | — | — | 20.8 | 21.5 | 24.7 | 25.4 | 27.9 | 30.4 | 29.8 | 27.6 | 25.7 | -1.9 | |
| 12th Grade | — | — | — | — | — | — | — | — | — | — | 28.3 | 27.8 | 29.9 | 31.2 | 33.5 | 34.0 | 36.5 | 35.1 | 34.6 | -0.5 | |
| Smokeless Tobacco ^d | | | | | | | | | | | | | | | | | | | | | |
| 8th Grade | — | — | — | — | — | — | — | — | — | — | 6.9 | 7.0 | 6.6 | 7.7 | 7.1 | 7.1 | 5.5 | 4.8 | 4.5 | -0.3 | |
| 10th Grade | — | — | — | — | — | — | — | — | — | — | 10.0 | 9.6 | 10.4 | 10.5 | 9.7 | 8.6 | 8.9 | 7.5 | 6.5 | -1.0 | |
| 12th Grade | — | — | — | — | — | — | — | — | — | — | — | 11.4 | 10.7 | 11.1 | 12.2 | 9.8 | 9.7 | 8.8 | 8.4 | -0.4 | |
| Steroids ^h | | | | | | | | | | | | | | | | | | | | | |
| 8th Grade | 1.0 | 1.1 | 0.9 | 1.2 | 1.0 | 0.9 | 1.0 | 1.2 | 1.7 | +0.5sss | 0.4 | 0.5 | 0.5 | 0.5 | 0.6 | 0.4 | 0.5 | 0.5 | 0.7 | +0.2s | |
| 10th Grade | 1.1 | 1.1 | 1.0 | 1.1 | 1.2 | 1.2 | 1.2 | 1.2 | 1.7 | +0.5ss | 0.6 | 0.6 | 0.5 | 0.6 | 0.6 | 0.5 | 0.7 | 0.6 | 0.9 | +0.3s | |
| 12th Grade | 1.4 | 1.1 | 1.2 | 1.3 | 1.5 | 1.4 | 1.4 | 1.7 | 1.8 | +0.1 | 0.8 | 0.6 | 0.7 | 0.9 | 0.7 | 0.7 | 1.0 | 1.1 | 0.9 | -0.2 | |

(Table continued on next page)