TABLE 8Trends in Availability of Drugs as Perceived by 10th Graders

	Percentage saying fairly easy or very easy to get ^a																	
How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?	<u>1992</u>	<u>1993</u>	<u>1994</u>	<u>1995</u>	<u>1996</u>	<u>1997</u>	<u>1998</u>	<u>1999</u>	<u>2000</u>	<u>2001</u>	<u>2002</u>	<u>2003</u>	<u>2004</u>	<u>2005</u>	<u>2006</u>	<u>2007</u>	<u>2008</u>	'
Marijuana	65.2	68.4	75.0	78.1	81.1	80.5	77.9	78.2	77.7	77.4	75.9	73.9	73.3	72.6	70.7	69.0	67.4	
LSD	33.6	35.8	36.1	39.8	41.0	38.3	34.0	34.3	32.9	31.2	26.8	23.1	21.6	20.7	19.2	19.0	19.3	
PCP ^b	23.7	23.4	23.8	24.7	26.8	24.8	23.9	24.5	25.0	21.6	20.8	19.4	18.0	18.1	15.8	15.4	14.4	
MDMA (e.g. ecstasy, "Molly") ^c		_	_	_	_	_	_	_	_	41.4	41.0	36.3	31.2	30.2	27.4	27.7	26.7	
Crack	33.7	33.0	34.2	34.6	36.4	36.0	36.3	36.5	34.0	30.6	31.3	29.6	30.6	31.0	29.9	29.0	27.2	
Cocaine powder	35.0	34.1	34.5	35.3	36.9	37.1	36.8	36.7	34.5	31.0	31.8	29.6	31.2	31.5	30.7	30.0	28.2	
Heroin	24.3	24.3	24.7	24.6	24.8	24.4	23.0	23.7	22.3	20.1	19.9	18.8	18.7	19.3	17.4	17.3	17.2	
Narcotics other than Heroin ^b	26.9	24.9	26.9	27.8	29.4	29.0	26.1	26.6	27.2	25.8	25.4	23.5	23.1	23.6	22.2	21.5	20.3	Table continued
Amphetamines ^d	43.4	46.4	46.6	47.7	47.2	44.6	41.0	41.3	40.9	40.6	39.6	36.1	35.7	35.6	34.7	33.3	32.0	next page.
Crystal methamphetamine (ice) ^b	18.8	16.4	17.8	20.7	22.6	22.9	22.1	21.8	22.8	19.9	20.5	19.0	19.5	21.6	20.8	18.8	15.8	
Sedatives (barbiturates)	38.0	38.8	38.3	38.8	38.1	35.6	32.7	33.2	32.4	32.8	32.4	28.8	30.0	29.7	29.9	28.2	26.9	
Tranquilizers	31.6	30.5	29.8	30.6	30.3	28.7	26.5	26.8	27.6	28.5	28.3	25.6	25.6	25.4	25.1	24.9	24.1	
Alcohol	88.6	88.9	89.8	89.7	90.4	89.0	88.0	88.2	87.7	87.7	84.8	83.4	84.3	83.7	83.1	82.6	81.1	
Cigarettes	89.1	89.4	90.3	90.7	91.3	89.6	88.1	88.3	86.8	86.3	83.3	80.7	81.4	81.5	79.5	78.2	76.5	
Vaping device ^{e,f}	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	
E-liquid with nicotine (for vaping) ^{e,f}	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	
Flavored e-liquid with nicotine (for vaping) e,j	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	
E-liquid for marijuana vaping ^e	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	
Steroids	37.6	33.6	33.6	34.8	34.8	34.2	33.0	35.9	35.4	33.1	33.2	30.6	29.6	29.7	30.2	27.7	24.5	
Approximate weighted N =	7,014	14,652	15,192	16,209	14,887	14,856	14,423	13,112	13,690	13,518	13,694	15,255	15,806	15,636	15,804	15,511	14,634	_

TABLE 8 (cont.)Trends in Availability of Drugs as Perceived by 10th Graders

l lass difficult de seus thicle it second ha ferrare	Percentage saying fairly easy or very easy to get ^a																	
How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?	<u>2009</u>	<u>2010</u>	<u>2011</u>	<u>2012</u>	<u>2013</u>	<u>2014</u>	<u>2015</u>	<u>2016</u>	<u>2017</u>	<u>2018</u>	<u>2019pⁱ</u>	<u>2019eⁱ</u>	<u>2020</u>	<u>2021 ^j</u>	<u>2022</u>	<u>2023</u>	2022–2023 <u>change</u>	
Marijuana	69.3	69.4	68.4	68.8	69.7	66.9	65.6	64.0	64.6	64.5	65.8	59.4	§	47.5*	48.5	47.5	-1.0	
LSD	17.8	18.3	16.6	14.9	16.3	14.8	15.5	15.2	15.9	14.9	16.2	16.7	§	13.4*	10.6	11.1	+0.5	
PCP ^b	13.4	12.6	12.0	10.2	9.4	8.3	9.0	7.6	7.1	7.3	9.5	8.8	§	6.8*	6.4	6.5	+0.1	
MDMA (e.g. ecstasy, "Molly") ^c	25.6	25.7	24.8	21.0	20.7	20.4	19.3	16.3	15.0	13.9	16.0	14.3	§	11.3*	9.4	9.7	+0.3	
Crack	23.9	22.5	19.7	18.4	17.1	15.1	14.4	13.9	13.8	13.0	13.6	11.2	§	8.6*	8.9	9.2	+0.4	
Cocaine powder	24.7	22.6	20.6	19.2	18.3	16.4	16.1	14.9	15.0	14.7	14.8	12.9	§	9.5*	9.2	9.7	+0.6	
Heroin	15.0	14.5	13.2	11.9	11.9	10.9	11.0	10.6	10.6	9.7	10.5	8.2	§	6.3*	6.6	6.5	-0.1	
Narcotics other than Heroin ^{b,g}	18.8‡	28.7	25.0	24.3	22.5	18.8	19.2	16.8	17.7	16.8	17.1	14.4	§	9.8*	9.3	8.8	-0.5	Table continued on
Amphetamines ^d	31.8	32.6‡	28.5	27.3	26.5	25.2	27.3	22.9	24.2	23.4	23.0	21.4	§	16.4*	16.7	16.4	-0.3	next page.
Crystal methamphetamine (ice) ^b	14.0	13.3	11.8	10.7	10.0	9.8	8.9	8.2	8.0	8.0	9.9	7.8	§	6.1*	6.5	6.2	-0.3	
Sedatives (barbiturates) ^e	25.5	24.9	22.0	20.2	18.3	16.7	16.6	14.2	15.1	14.4	14.5	16.6	§	11.3*	11.1	12.4	+1.3	
Tranquilizers	22.3	21.6	20.8	19.7	18.3	17.5	19.4	20.5	23.3	24.2	22.6	18.1	§	11.4*	10.9	10.2	-0.7	
Alcohol	80.9	80.0	77.9	78.2	77.2	75.3	74.9	71.1	71.5	70.6	68.9	64.8	§	60.2*	58.7	59.2	+0.5	
Cigarettes	76.1	75.6	73.6	72.9	71.4	69.0	66.6	62.9	62.5	61.5	58.4	55.0	§	48.0*	47.5	48.3	+0.8	
Vaping device ^{e,f}	—	_	—	—	—	_	—	_	59.5	66.6	68.3	64.1	§	54.6*	51.9	54.7	+2.8	
E-liquid with nicotine (for vaping) ^{e,f}	_	_	_	—	_	_	_	_	52.8	60.4	64.5	64.1	§	48.5*	50.8	52.1	+1.3	
Flavored e-liquid with nicotine (for vaping) e,k	—	_	—	_	_	_	—	_	_	_	_	—	§	46.9*	49.4	51.0	+1.6	
E-liquid for marijuana vaping ^e	_	_	_	_	_	_	_	_	_	_	_	_	§	39.5	43.7	44.4	+0.7	
Steroids	20.8	20.3	18.8	18.0	17.2	16.5	17.0	15.3	15.0	14.5	13.7	11.9	§	10.9*	12.2	13.2	+1.0	
Approximate weighted N =	15,451	14,827	14,509	14,628	12,601	12,574	15,186	14,126	12,901	13,365	6,042	6,864	§	10,258	10,346	7,605		_

TABLE 8 (cont.) Trends in Availability of Drugs as Perceived by 10th Graders

Source. The Monitoring the Future study, the University of Michigan.

Notes. Level of significance of difference between the two most recent classes: s = .05, ss = .01, sss = .001. '-' indicates data not available. '‡' indicates

- that the question changed the following year. See relevant footnote for that drug. Any apparent inconsistency between the change estimate and the
 - prevalence estimates for the two most recent years is due to rounding.

§Estimates not presented due to insufficient data this year.

*Comparison of 2021+ estimates with previous years may be subject to a survey mode effect in 2019. The size and direction of the mode effect (if any) is indicated by the difference between

the estimates in the '2019p' and the '2019e' columns. The '2019p' column reports estimates based on students in the randomly-selected half of schools that used paper-and-pencil questionnaires

(used in 2018 and all previous years). The '2019e' column reports estimates on the other half that used electronic data collection on devices connected to the internet (used in 2021 and all subsequent years).

^aAnswer alternatives were: (1) Probably impossible, (2) Very difficult, (3) Fairly difficult, (4) Fairly easy, (5) Very easy, and (6) Can't say, drug unfamiliar.

^bBeginning in 1993, data based on one of two forms; N is one half of N indicated. Beginning in 2014 data based on one sixth of N indicated.

^cBeginning in 1993, data based on one of two of forms; N is one half of N indicated. Beginning in 2014 data based on one sixth of N indicated for MDMA only:

In 2014 the question text was changed in one form to include "Molly." In 2015 a second from was changed to including "Molly;" data based on one sixth of N

indicated in 2014 and on one half of N indicated in 2015. An examination of the data did not show any effect from this wording change.

^dIn 2011 the list of examples for amphetamines was changed from uppers, pep pills, bennies, speed to uppers, speed, Adderall, Ritalin, etc. These changes

likely explain the discontinuity in the 2011 results.

^eBeginning in 2017, data based on one half of *N* indicated.

^f Percentages for all years reported here include respondents who replied "can't say, drug unfamiliar" in the deniminator. The percentage for 2017 published in late 2017 and early

2018 did not include these respondents in the deniminator.

⁹In 2010 the list of examples for narcotics other than heroin was changed from methadone, opium to Vicodin, OxyContin, Percocet, etc. This change likely explains the

discontinuity in the 2010 results.

^h Data based on three of four forms. N is two thirds of N indicated.

¹The '2019p' column reports estimates from students in the randomly-selected half of schools that completed the 2019 questionnaire using paper and pencil. The '2019e' column reports estimates for the other half in schools that completed the 2019 questionnaire using web-connected electronic tablets. Estimates in italics indicate statistically significant (p<.05) differences in 2019 between the two survey modes. ¹Sample is decreased by as much as 50% for the following drugs due to survey question experiments: crack, cocaine powder, heroin, narcotics other than heroin, tranquilizers, crystal methamphetamine (ice), alcohol, cigarettes, steroids, and vaping.

^kQuestion asks specifically about "e-liquid with nicotine (for vaping) with a flavor other than tobacco or menthol, such as mint or mango."